SoftQuad Inc.
Suite 810
56 Aberfoyle Crescent
Toronto, Canada M8X 2W4
Telephone (416) 239-4801
FAX (416) 239-7105

HTML [HoTMetaL]

Public Identifier: -//SQ//DTD WWW HOTMETAL 1.1//EN

System Identifier: html.mtl/hotmetal.mtl

Version/Date: Mon Jun 20 17:37:48 EDT 1994

A

Short Description: **Hypertext Anchor**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: DD, DT, LI, ADDRESS, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6, BODY

Contains: #PCDATA, IMG, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP

Attributes:

Name: HREF
Content: cdata
Default: #IMPLIED

Name: REL
Content: cdata
Default: #IMPLIED

Name: REV
Content: cdata
Default: #IMPLIED

Name: METHODS
Content: names
Default: #IMPLIED

Name: NAME
Content: cdata
Default: #IMPLIED

Name: TITLE
Content: cdata
Default: #IMPLIED

CONTINUED

ADDRESS

Short Description: **Address info, signatures, etc.**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, LI, BODY

Contains: #PCDATA, HR, P, IMG, A

B

Short Description: **Bold Text**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

BASE

Short Description: **Original URL of this document**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HREF
Content: cdata
Default: #IMPLIED

BLOCKQUOTE

Short Description: **Block Quotation (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BODY

Contains: #PCDATA, ADDRESS, HR, UL, OL, DL, P, PRE, IMG

CONTINUED

BODY

Short Description: **Document Content**

Minimization:
Start-tag: *omissable*
End-tag: *omissable*

Content Type: element

Contained in: HTML

Contains: H1, H2, H3, H4, H5, H6, ADDRESS, HR, FORM, BLOCKQUOTE, UL, OL, DL, P, PRE, XMP, LISTING, IMG

BR

Short Description: **Forced Line Break**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: BLOCKQUOTE, A, DD, DT, ADDRESS, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains:

CITE

Short Description: **Citation**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

CODE

Short Description: **Example of Code (usually monospace)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

CONTINUED

DD

Short Description: **Text of Definition**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: DL

Contains: I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA, A, IMG, HR, UL, OL, DL, P, PRE, #PCDATA

DFN

Short Description: **Defining Instance of a Term**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

DIR

Short Description: **Directory Listing (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: element

Contained in:

Contains: LI

DL

Short Description: **Definition List**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in: FORM, BLOCKQUOTE, DD, LI, BODY

Contains: DD, DT

DT

Short Description: **Term to be Defined**

Minimization:
Start-tag: *required*
End-tag: *omissable*

CONTINUED

Content Type: mixed

Contained in: DL

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

EM

Short Description: **Emphasis (usually italics)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

FORM

Short Description: **On-line Form (WYSIWYG not supported)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in: FORM, LI, BODY

Contains: MESSAGE, H1, H2, H3, H4, H5, H6, ADDRESS, HR, FORM, BLOCKQUOTE, UL, OL, DL, P, PRE, XMP, LISTING

Attributes:

Name: ACTION
Content: cdata
Default: #IMPLIED

Name: SCRIPT
Content: cdata
Default: #IMPLIED

Name: METHOD
Content: cdata
Default: #IMPLIED

Name: ENCTYPE
Content: cdata
Default: #IMPLIED

Name: ID
Content: id
Default: #IMPLIED

Name: CHARSET
Content: cdata
Default: #IMPLIED

CONTINUED

H1

Short Description: **Heading Level 1**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

H2

Short Description: **Heading Level 2**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

H3

Short Description: **Heading Level 3**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

H4

Short Description: **Heading Level 4**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

H5

Short Description: **Heading Level 5**

Minimization:
Start-tag: *required*
End-tag: *required*

CONTINUED

Content Type: mixed

Contained in: FORM, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

H6

Short Description: **Heading Level 6**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

HEAD

Short Description: **Information about the document**

Minimization:
Start-tag: *omissable*
End-tag: *omissable*

Content Type: element

Contained in: HTML

Contains: LINK, META, BASE, ISINDEX, TITLE

HR

Short Description: **Horizontal Rule**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: FORM, BLOCKQUOTE, DD, LI, ADDRESS, BODY

Contains:

HTML

Short Description: **Top Level Document Element**

Minimization:
Start-tag: *omissable*
End-tag: *omissable*

Content Type: element

Contained in:

Contains: HEAD, BODY

Attributes:

Name: CHARSET

CONTINUED

Content: cdata
Default: #IMPLIED

Name: VERSION
Content: cdata
Default: sqhtml.dtd v1.20

I

Short Description: **Italic Text**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

IMG

Short Description: **Image**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: FORM, BLOCKQUOTE, A, DD, DT, LI, ADDRESS, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6, BODY

Contains:

Attributes:

Name: SRC
Content: cdata
Default: #REQUIRED

Name: ALIGN
Content: (TOP | MIDDLE | BOTTOM)
Default: TOP

Name: ALT
Content: cdata
Default: #IMPLIED

Name: ISMAP
Content: (ISMAP)
Default: #IMPLIED

INPUT

Short Description: **Input to a Form**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

CONTINUED

Contained in: DD, DT, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains:

Attributes:

Name: ID
Content: id
Default: #IMPLIED

Name: NAME
Content: cdata
Default: #IMPLIED

Name: TYPE
Content: (TEXT | PASSWORD | CHECKBOX | RADIO | SUBMIT | RESET | IMAGE | HIDDEN)
Default: TEXT

Name: CHARSET
Content: cdata
Default: #IMPLIED

Name: SIZE
Content: cdata
Default: #IMPLIED

Name: MIN
Content: number
Default: #IMPLIED

Name: MAX
Content: number
Default: #IMPLIED

Name: MAXLENGTH
Content: number
Default: #IMPLIED

Name: VALUE
Content: cdata
Default: #IMPLIED

Name: CHECKED
Content: (CHECKED)
Default: #IMPLIED

Name: DISABLED
Content: (DISABLED)
Default: #IMPLIED

Name: ERROR
Content: (ERROR)
Default: #IMPLIED

Name: SRC
Content: cdata
Default: #IMPLIED

Name: ALT
Content: cdata
Default: #IMPLIED

Name: ALIGN
Content: (TOP | MIDDLE | BOTTOM)
Default: TOP

CONTINUED

ISINDEX

Short Description: **Is searchable (added by servers)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HREF
Content: cdata
Default: #IMPLIED

KBD

Short Description: **Something A User Would Have To Type**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

KEY

Short Description: **Keyword (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in:

Contains: #PCDATA, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE

LI

Short Description: **List Item**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: MENU, DIR, UL, OL

Contains: #PCDATA, ADDRESS, HR, FORM, UL, OL, DL, P, PRE, XMP, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE

CONTINUED

Attributes:

Name: ICON
Content: cdata
Default: #IMPLIED

Name: LABEL
Content: cdata
Default: #IMPLIED

LINK

Short Description: **Link with another object**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HREF
Content: cdata
Default: #REQUIRED

Name: SRC
Content: cdata
Default: #IMPLIED

Name: ID
Content: id
Default: #IMPLIED

Name: REL
Content: cdata
Default: #IMPLIED

Name: REV
Content: cdata
Default: #IMPLIED

Name: TITLE
Content: cdata
Default: #IMPLIED

LISTING

Short Description: **Listing**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: rcdata

Contained in: FORM, BODY

Contains:

CONTINUED

MENU

Short Description: **Menu Listing (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: element

Contained in:

Contains: LI

MESSAGE

Short Description: **Form Error/Warning/Info**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: rcdata

Contained in: FORM

Contains:

Attributes:

Name: ID
Content: id
Default: #IMPLIED

Name: STATUS
Content: (INFO | WARNING | ERROR)
Default: INFO

Name: CHARSET
Content: cdata
Default: #IMPLIED

META

Short Description: **Contents for HTTP Header**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: ID
Content: id
Default: #IMPLIED

Name: NAME
Content: cdata
Default: #IMPLIED

Name: VALUE
Content: cdata

CONTINUED

Default: #IMPLIED

NEXTID

Short Description: **Unique ID Counter (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in:

Contains:

Attributes:

Name: N
Content: cdata
Default: #IMPLIED

OL

Short Description: **Ordered List**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: element

Contained in: FORM, BLOCKQUOTE, DD, LI, BODY

Contains: LI

OPTION

Short Description: **Option within Form Selection List**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: rcdata

Contained in: SELECT

Contains:

Attributes:

Name: ID
Content: id
Default: #IMPLIED

Name: VALUE
Content: cdata
Default: #IMPLIED

Name: SELECTED
Content: (SELECTED)
Default: #IMPLIED

Name: DISABLED
Content: (DISABLED)
Default: #IMPLIED

CONTINUED

Name: SHAPE
Content: cdata
Default: #IMPLIED

Name: CHARSET
Content: cdata
Default: #IMPLIED

P

Short Description: **Paragraph**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, DD, LI, ADDRESS, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

PLAINTEXT

Short Description: **Plaintext Content (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: rcdata

Contained in:

Contains:

PRE

Short Description: **Preformatted Fixed Pitch Text**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, DD, LI, BODY

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

SAMP

Short Description: **Sequence of Literal Characters**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

CONTINUED

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

SELECT

Short Description: **Form Selection List**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in: DD, DT, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: OPTION

Attributes:

Name: SRC
Content: cdata
Default: #IMPLIED

Name: ID
Content: id
Default: #IMPLIED

Name: NAME
Content: cdata
Default: #IMPLIED

Name: EDIT
Content: number
Default: #IMPLIED

Name: MULTIPLE
Content: (MULTIPLE)
Default: #IMPLIED

Name: ERROR
Content: (ERROR)
Default: #IMPLIED

Name: CHARSET
Content: cdata
Default: #IMPLIED

STRONG

Short Description: **Strong Emphasis (usually bold)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

CONTINUED

TEXTAREA

Short Description: **Form Multi-line Text Field**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: rcdata

Contained in: DD, DT, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains:

Attributes:

Name: ID
Content: id
Default: #IMPLIED

Name: NAME
Content: cdata
Default: #IMPLIED

Name: COLS
Content: number
Default: #IMPLIED

Name: ROWS
Content: number
Default: #IMPLIED

Name: WRAP
Content: (WRAP)
Default: #IMPLIED

Name: DISABLED
Content: (DISABLED)
Default: #IMPLIED

Name: ERROR
Content: (ERROR)
Default: #IMPLIED

Name: CHARSET
Content: cdata
Default: #IMPLIED

TITLE

Short Description: **Title (for Browser Title Bar)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: HEAD

Contains: #PCDATA

CONTINUED

TT

Short Description: **Teletype Font**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

U

Short Description: **Underlined text**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

UL

Short Description: **Unordered List**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in: FORM, BLOCKQUOTE, DD, LI, BODY

Contains: LI

VAR

Short Description: **Named Place Holder**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: KEY, A, DD, DT, LI, PRE, P, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, H1, H2, H3, H4, H5, H6

Contains: #PCDATA, IMG, A, I, B, U, TT, CITE, EM, STRONG, KBD, VAR, DFN, CODE, SAMP, BR, INPUT, TEXTAREA

CONTINUED

XMP

Short Description: **Example**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: rcdata

Contained in: FORM, DD, LI, BODY

Contains: