SoftQuad Inc.
Suite 810
56 Aberfoyle Crescent
Toronto, Canada M8X 2W4
Telephone (416) 239-4801
FAX (416) 239-7105

HTML

Public Identifier: -//W3O//DTD WWW HTML 2.0//EN

System Identifier: legacy.mtl

Version/Date: Sat Jun 18 07:42:37 EDT 1994

A

Short Description: **Hypertext Anchor**

Minimization:
 Start-tag: *required*
 End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR, MENU, DL, PRE, XMP, LISTING, BLOCKQUOTE, FORM

Attributes:

Name: NAME
Content: cdata
Default: #IMPLIED

Name: HREF
Content: cdata
Default: #IMPLIED

Name: REL
Content: name
Default: #IMPLIED

Name: REV
Content: name
Default: #IMPLIED

Name: URN
Content: cdata
Default: #IMPLIED

Name: TITLE
Content: cdata
Default: #IMPLIED

Name: METHODS
Content: names
Default: #IMPLIED

CONTINUED

ADDRESS

Short Description: **Address info, signatures, etc.**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

B

Short Description: **Bold Text**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

BASE

Short Description: **Original URL of this document**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HREF
Content: cdata
Default: #REQUIRED

BLOCKQUOTE

Short Description: **Block Quotation (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR, MENU, DL, PRE, XMP, LISTING, BLOCKQUOTE, FORM, ISINDEX, HR

CONTINUED

BODY

Short Description: **Document Content**

Minimization:
Start-tag: *omissable*
End-tag: *omissable*

Content Type: mixed

Contained in: HTML

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR, MENU, DL, PRE, XMP, LISTING, BLOCKQUOTE, FORM, ISINDEX, HR

BR

Short Description: **Forced Line Break**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains:

CITE

Short Description: **Citation**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

CODE

Short Description: **Example of Code (usually monospace)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

DD

Short Description: **Text of Definition**

Minimization:
Start-tag: *required*

CONTINUED

End-tag: *omissable*

Content Type: mixed

Contained in: DL

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, P, UL, OL, DIR, MENU, DL, PRE, XMP, LISTING, BLOCKQUOTE, FORM

DIR

Short Description: **Directory Listing (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: LI

DL

Short Description: **Definition List**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: DT

Attributes:

Name: COMPACT
Content: (COMPACT)
Default: #IMPLIED

DT

Short Description: **Term to be Defined**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: DL

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

EM

Short Description: **Emphasis (usually italics)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

CONTINUED

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

FORM

Short Description: **On-line Form (WYSIWYG not supported)**

Minimization:
Start-tag: *required*
End-tag: *required*

Inclusion Elements: INPUT, SELECT, TEXTAREA

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR, MENU, DL, PRE, XMP, LISTING, BLOCKQUOTE, FORM, ISINDEX, HR

Attributes:

Name: ACTION
Content: cdata
Default: #REQUIRED

Name: METHOD
Content: (GET | POST)
Default: #IMPLIED

Name: ENCTYPE
Content: cdata
Default: #IMPLIED

H1

Short Description: **Heading Level 1**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

H2

Short Description: **Heading Level 2**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

CONTINUED

H3

Short Description: **Heading Level 3**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

H4

Short Description: **Heading Level 4**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

H5

Short Description: **Heading Level 5**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

H6

Short Description: **Heading Level 6**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

HEAD

Short Description: **Information about the document**

Minimization:
Start-tag: *omissable*
End-tag: *omissable*

Content Type: element

CONTINUED

Contained in: HTML

Contains: NEXTID, BASE, TITLE, ISINDEX, LINK

HR

Short Description: **Horizontal Rule**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: FORM, BLOCKQUOTE, BODY

Contains:

HTML

Short Description: **Top Level Document Element**

Minimization:
Start-tag: *omissable*
End-tag: *omissable*

Content Type: element

Contained in:

Contains: HEAD, BODY, PLAINTEXT

I

Short Description: **Italic Text**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

IMG

Short Description: **Image**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains:

Attributes:

Name: SRC
Content: cdata
Default: #REQUIRED

CONTINUED

Name: ALT
Content: cdata
Default: #IMPLIED

Name: ALIGN
Content: (TOP | MIDDLE | BOTTOM)
Default: #IMPLIED

Name: ISMAP
Content: (ISMAP)
Default: #IMPLIED

INPUT

Short Description: **Input to a Form**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in:

Contains:

Attributes:

Name: TYPE
Content: (TEXT | PASSWORD | CHECKBOX | RADIO | SUBMIT | RESET | IMAGE | HIDDEN)
Default: #IMPLIED

Name: NAME
Content: cdata
Default: #IMPLIED

Name: VALUE
Content: cdata
Default: #IMPLIED

Name: SRC
Content: cdata
Default: #IMPLIED

Name: CHECKED
Content: (CHECKED)
Default: #IMPLIED

Name: SIZE
Content: cdata
Default: #IMPLIED

Name: MAXLENGTH
Content: number
Default: #IMPLIED

Name: ALIGN
Content: (TOP | MIDDLE | BOTTOM | LEFT | CENTER | RIGHT)
Default: #IMPLIED

ISINDEX

Short Description: **Is searchable (added by servers)**

Minimization:
Start-tag: *required*

CONTINUED

End-tag: *omissable*

Content Type: empty

Contained in: FORM, HEAD, BLOCKQUOTE, BODY, LI, DD, A

Contains:

KBD

Short Description: **Something A User Would Have To Type**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

LI

Short Description: **List Item**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: UL, OL, DIR, MENU

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, P, UL, OL, DIR, MENU, DL, PRE, XMP, LISTING, BLOCKQUOTE, FORM

LINK

Short Description: **Link with another object**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: HREF
Content: cdata
Default: #REQUIRED

Name: REL
Content: name
Default: #IMPLIED

Name: REV
Content: name
Default: #IMPLIED

Name: URN
Content: cdata

CONTINUED

Default: #IMPLIED

Name: TITLE
Content: cdata
Default: #IMPLIED

Name: METHODS
Content: names
Default: #IMPLIED

LISTING

Short Description: **Listing**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: cdata

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains:

MENU

Short Description: **Menu Listing (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: LI

NEXTID

Short Description: **Unique ID Counter (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: empty

Contained in: HEAD

Contains:

Attributes:

Name: N
Content: cdata
Default: #REQUIRED

OL

Short Description: **Ordered List**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

CONTINUED

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: LI

OPTION

Short Description: **Option within Form Selection List**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: SELECT

Contains: #PCDATA

Attributes:

Name: SELECTED
Content: (SELECTED)
Default: #IMPLIED

Name: VALUE
Content: cdata
Default: #IMPLIED

P

Short Description: **Paragraph**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, A

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

PLAINTEXT

Short Description: **Plaintext Content (Obsolete Element)**

Minimization:
Start-tag: *required*
End-tag: *omissable*

Content Type: cdata

Contained in: HTML

Contains:

PRE

Short Description: **Preformatted Fixed Pitch Text**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

CONTINUED

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: #PCDATA, TT, B, I, A, EM, STRONG, CODE, SAMP, KBD, VAR

Attributes:

Name: WIDTH
Content: number
Default: #IMPLIED

SAMP

Short Description: **Sequence of Literal Characters**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

SELECT

Short Description: **Form Selection List**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: element

Contained in:

Contains: OPTION

Attributes:

Name: NAME
Content: cdata
Default: #REQUIRED

Name: SIZE
Content: number
Default: #IMPLIED

Name: MULTIPLE
Content: (MULTIPLE)
Default: #IMPLIED

STRONG

Short Description: **Strong Emphasis (usually bold)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

CONTINUED

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

TEXTAREA

Short Description: **Form Multi-line Text Field**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in:

Contains: #PCDATA

Attributes:

Name: NAME
Content: cdata
Default: #REQUIRED

Name: ROWS
Content: number
Default: #REQUIRED

Name: COLS
Content: number
Default: #REQUIRED

TITLE

Short Description: **Title (for Browser Title Bar)**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: HEAD

Contains: #PCDATA

TT

Short Description: **Teletype Font**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

UL

Short Description: **Unordered List**

Minimization:
Start-tag: *required*
End-tag: *required*

CONTINUED

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: LI

VAR

Short Description: **Named Place Holder**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, PRE, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, TT, B, I

Contains: #PCDATA, TT, B, I, A, IMG, BR, EM, STRONG, CODE, SAMP, KBD, VAR

XMP

Short Description: **Example**

Minimization:
Start-tag: *required*
End-tag: *required*

Content Type: cdata

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD, A

Contains: